



SHIRE OF GNOWANGERUP
BORDEN GNOWANGERUP ONGERUP

ADM0642

TENDER REGISTER

Tender No.	RFT2023-2	Tender Title	KWOBRUP ROAD STAGE III																						
Brief description of goods or services required:	Pavement Construction including, shoulder widening, pavement repairs, vegetation clearing and culvert / drain widening ready for bitumen seal on Kwobrup Road for an approximate distance of 3.08 SLKs.																								
Particulars of the decision to invite tenders:	Budget & Delegation																								
Advertisement Details (attach copy of advertisement):	<table border="0"> <tr> <td>The West Australian</td><td>9 July 2022</td></tr> <tr> <td>Shire's Website</td><td>8 July 2022</td></tr> <tr> <td>Shire's Public Notice Board GNP</td><td>8 July 2022</td></tr> <tr> <td>CRC's Public Notice Board GNP</td><td>8 July 2022</td></tr> <tr> <td>Public Notice Board Borden</td><td>14 July 2022</td></tr> <tr> <td>GNP Library</td><td>8 July 2022</td></tr> <tr> <td>Ongerup Library</td><td>14 July 2022</td></tr> <tr> <td>Shire's Facebook</td><td>8 July 2022</td></tr> <tr> <td>Ongerup Newsletter</td><td>14 July 2022</td></tr> <tr> <td>Borden Newsletter</td><td>21 July 2022</td></tr> <tr> <td>Gnowangerup Newsletter</td><td>15 July 2022</td></tr> </table>			The West Australian	9 July 2022	Shire's Website	8 July 2022	Shire's Public Notice Board GNP	8 July 2022	CRC's Public Notice Board GNP	8 July 2022	Public Notice Board Borden	14 July 2022	GNP Library	8 July 2022	Ongerup Library	14 July 2022	Shire's Facebook	8 July 2022	Ongerup Newsletter	14 July 2022	Borden Newsletter	21 July 2022	Gnowangerup Newsletter	15 July 2022
The West Australian	9 July 2022																								
Shire's Website	8 July 2022																								
Shire's Public Notice Board GNP	8 July 2022																								
CRC's Public Notice Board GNP	8 July 2022																								
Public Notice Board Borden	14 July 2022																								
GNP Library	8 July 2022																								
Ongerup Library	14 July 2022																								
Shire's Facebook	8 July 2022																								
Ongerup Newsletter	14 July 2022																								
Borden Newsletter	21 July 2022																								
Gnowangerup Newsletter	15 July 2022																								
Closing Date and Time:	Monday, 1 st August 2022, 2:00pm (AWST)																								
Opening Date and Time:	1/8/2022 16/5.																								
Opened in the presence of:	NAME:	SIGNATURE:																							
	G. CARROLL																								
	D. LUKINS																								
Tenderers' Name																									
M C CIVIL CONTRACTORS.																									
FULTON HOGAN																									
FULCHER CONTRACTORS.																									
E K CONTRACTING.																									



SHIRE OF GNOWANGERUP
BORDEN GNOWANGERUP ONGERUP

ADM0642

TENDER REGISTER

Tender awarded by:	DATE OF COUNCIL MEETING	COUNCIL MINUTE NO.
Council Decision	24 August 22	0022.94
Name of Successful Tenderer(s):	M C Civil	
Amount of Successful Tender(s):	\$ 358,648.40	

11.7 REQUEST FOR TENDER RFT2023-2 KWOBURUP ROAD (STAGE 3)

Date of Report: 16 August 2022

Business Unit: Infrastructure

Officer: Damon Lukins

Disclosure of Interest: Nil

ATTACHMENT

- Tender Assessment Kwobrup Road 3070001 (*Confidential*)
- Tender Submission RFT2023-2_M C Civil (*Confidential*)
- Email – from Paul Spencer, Manager of Infrastructure at the Shire of Kent
Re: M C Civil Contractors.

PURPOSE OF THE REPORT

To consider the tender RFT2023-2 pavement construction (gravel overlay) including shoulder widening, vegetation clearing, culvert and drain widening on Kwobrup Road and to accept the submission that provides the best value to the Shire.

COMMENT

Four tenders were received from the following contractors;

- M C Civil Contractors
- Fulcher Contractors
- Fulton Hogan
- E K Contractors.

Tender assessments were carried out by Damon Lukins, Works Manager for the Shire of Gnowangerup and Danny Coleman from Coleman Consulting. (Refer to attached Kwobrup Rd 3070001 Tender Assessment Page 1)

M C Civil Contractors came in below budget – refer to Kwobrup Rd 3070001 Tender Assessments page 2 for costing details.

MC Civil Contractors were the cheapest tenderer. There were some concerns regarding their tender. Mainly traffic management, rock pitching and shoulder rehabilitation. They also did not include a rate on most of the itemised requirements. There was also a concern that the price is a little under done.

Contacted MC Civil about concerns;

Traffic management – Dominic (MC Civil) stated that they were going to use a generic TMP. Damon said that due to the project being more than one day, that a site-specific plan would be required. Dominic stated that would be O.K. and was still happy with the cost

Rock Pitching – Dominic (MC Civil) stated that they get their rock from the Kendenup Quarry and was happy with the cost. The rock will comply with spec.

Shoulder rehabilitation – Dominic was happy with the cost of the shoulder rehabilitation.

Damon also rang Paul Spencer from the Shire of Kent regarding work that had been completed by MC Civil on the Kukerin, Adams and Peterson Roads. Please see email attached for Paul's response.

CONSULTATION

Nil

LEGAL AND STATUTORY REQUIREMENTS

Due to the estimated cost of the works exceeding \$250k it is a purchasing requirement to go to tender, pursuant to r.11 of the *Local Government (Functions and General) Regulations 1996*.

POLICY IMPLICATIONS

Nil

FINANCIAL IMPLICATIONS

The tender is within the budget allocation for the pavement construction.

ALTERNATE OPTIONS AND THEIR IMPLICATIONS

Nil

CONCLUSION

The recommendation is to accept the tender from MC Civil Contractors for RFT2023-2.

VOTING REQUIREMENTS

Simple majority

COUNCIL RESOLUTION

Moved: Cr L Martin

Seconded: Cr R O'Meehan

0822.94 That Council

Authorises the CEO to accept the tender RFT2023-2 from MC Civil contractors for \$358,648.40 (GST excl) for the pavement construction including shoulder widening of Kwobrup Road.

Cr S Hmeljak left the room at 4:09pm

UNANIMOUSLY CARRIED: 7/0

Confidentiality and Conflict of Interest Declaration Form

DECLARATION OF CONFIDENTIALITY AND INTEREST


All staff responsible for evaluating supplier tender submissions or supplier formal quotations are required to complete the following declaration of confidentiality and interest **PRIOR** to evaluating the quote submissions.

RFT /RFQ NO & Title: RFT 2023-2 Kwoobur Road Stage III.

I Geoffrey Malcolm Carberry (Print Name) hereby declare that:

- I have no pecuniary interest in any of the supplier(s) that have submitted a quote/bid for the above RFT/RFQ.
- I have no actual or perceived conflict of interest or impartiality in the supplier(s) that have provided a quote/bid. Should any of the supplier(s) be personally known to me I shall inform the CEO immediately and will not undertake in the evaluation process until approved to do so by the CEO.
- I agree to keep all information relating to the supplier(s) quote/bid confidential and under no circumstances will I disclose such information to persons outside of the evaluation team members.
- I shall keep the results of the evaluation process confidential. No indication of the likely recommendation will be discussed, disclosed or allowed to be disclosed without written approval from the CEO.

NAME: G. Carberry DATE: 1/8/2022

SIGNATURE: 

Confidentiality and Conflict of Interest Declaration Form

DECLARATION OF CONFIDENTIALITY AND INTEREST

All staff responsible for evaluating supplier tender submissions or supplier formal quotations are required to complete the following declaration of confidentiality and interest **PRIOR** to evaluating the quote submissions.

RFT /RFQ NO & Title: 2023-2 KNOBRUP RD. STAGE 3

I Damon Lukins (Print Name) hereby declare that:

- I have no pecuniary interest in any of the supplier(s) that have submitted a quote/bid for the above RFT/RFQ.
- I have no actual or perceived conflict of interest or impartiality in the supplier(s) that have provided a quote/bid. Should any of the supplier(s) be personally known to me I shall inform the CEO immediately and will not undertake in the evaluation process until approved to do so by the CEO.
- I agree to keep all information relating to the supplier(s) quote/bid confidential and under no circumstances will I disclose such information to persons outside of the evaluation team members.
- I shall keep the results of the evaluation process confidential. No indication of the likely recommendation will be discussed, disclosed or allowed to be disclosed without written approval from the CEO.

NAME: Damon Lukins DATE: 1/08/2022

SIGNATURE: 

Advertisement / Published

RFT2023-2 Kwobrup Road Tender.

DATE/UNTIL WHEN 1/8/22

	Local		Statewide	
Great Southern Herald				
West Australian			✓	
Albany Advertiser				
Other Newspaper _____				
Newsletter 'The Gnow' - Gnowangerup	✓	8/7/22		
Newsletter 'The Grapevine' - Ongerup	✓	14/7/22		
Newsletter 'Borden Bullet' - Borden	✓	21/7/22		
Shire's Facebook	✓	08/07/2022		
Website	✓	8.07.22		
Public Board – Shire	✓			
Public Board – Library Gnowangerup	✓			
Public Board – CRC Gnowangerup	✓			
Public Board – Library Ongerup	✓			
Public Board – IGA	✓			
Public Board – Police	✓			
SEEK				
Linkedin				

List Adverts for CSO _____



SHIRE OF GNOWANGERUP

TENDER DOCUMENTS

Pavement Construction (Gravel Overlay) Including Shoulder Rehabilitation, Vegetation Clearing, Install Offshoot Drains, Culvert & Drain Widening

Kwobrup Road (3070001)

Stage III

SLK 6.00 to SLK 9.18

TENDER NO. RFT2023-2

Tenders Close: 2.00pm Monday 1 August 2022



SHIRE OF GNOWANGERUP

BORDEN GNOWANGERUP ONGERUP

REQUEST FOR TENDER

Kwobrup Road Stage III

Pavement Construction (Gravel Overlay) Including Shoulder Rehabilitation, Vegetation Clearing, Install Offshoot Drains, Culvert & Drain Widening

SLK 6.00 To SLK 9.44 (Approximately)

Tender No. RFT2023-2

The Shire of Gnowangerup invites sealed Tenders from suitably qualified and experienced civil contractors to undertake:

Pavement Construction including, shoulder widening, pavement repairs, vegetation clearing and culvert / drain widening ready for bitumen seal on Kwobrup Road for an approximate distance of 3.08 SLKs. It is expected for this work to occur during the usual construction period of early October 2022 onwards based on weather conditions.

Tender documents may be obtained from the Shire Admin Office at 28 Yougenup Road, Gnowangerup during the hours of 8.30am and 4.00pm Monday to Friday, before the close of the Tender. Alternatively, bidders can request an electronic copy by contacting Chelsea Why at the office on 9827 1007 or at gnpshire@gnowangerup.wa.gov.au

Further information may be obtained from the Shire's Asset & Waste Management Coordinator, Geoff Carberry, on 0499 899 423.

Tenders shall be valid for a period of 90 days after Tender opening and can be lodged in the Tender Box at the Shire Admin Office or emailed to gnpshire@gnowangerup.wa.gov.au on or before 2:00pm Monday 1 August 2022.

Tenders shall be valid for a period of 90 days after Tender opening and can be lodged in person in the Tender Box at the Shire Administration Office or emailed to gnpshire@gnowangerup.wa.gov.au on or before **2:00pm (AWST) Monday 1 August 2022**.

Bob Jarvis
CHIEF EXECUTIVE OFFICER

Contents

CONDITIONS OF TENDER	1
TENDER DOCUMENTS	1
VALIDITY	1
TENDER ENQUIRIES	1
DISCREPANCIES, ERRORS AND OMISSIONS	1
TENDERER TO INFORM HIM(HER)SELF	1
SUBMISSION OF TENDER	1
LODGEMENT OF TENDER	2
INFORMAL TENDERS.....	2
PREREQUISITES OF ACCEPTANCE	2
SELECTION CRITERIA.....	3
RISK MANAGEMENT & EVALUATION PROCESS.....	3
ACCEPTANCE OF TENDER.....	4
SUCCESSFUL TENDERER	4
ALTERNATIVE TENDERS	4
INHOUSE TENDERS	4
DISCLOSURE	4
GENERAL CONDITIONS	5
PERIOD OF CONTRACT	5
TYPE OF CONTRACT	5
REGULATION REQUIREMENTS	5
CONTRACTORS RESOURCES	5
STANDARDS	5
PAYMENT TO CONTRACTOR	5
OCCUPATIONAL SAFETY & HEALTH	6
INDEMNITY BY CONTRACTOR	6
INSURANCE	6
PUBLIC LIABILITY	6
INSURANCE OF EMPLOYEES.....	6
SCOPE OF WORKS.....	7
DESCRIPTION OF WORK:.....	7
MATERIALS / GRAVEL MATERIALS	8

DETAILS FROM PICKUP OF DEFECTS	9
TENDER FORMS.....	10
FORM 1	11
FORM OF TENDER	11
FORM 2	12
SCHEDULE OF RATES	12
FORM 3	13
PREVIOUS EXPERIENCE / PAST PERFORMANCE.....	13
FORM 4.....	14
INSURANCE DETAILS	14

CONDITIONS OF TENDER

TENDER DOCUMENTS

The Tender Documents shall consist of the Tender Forms, Conditions of Tender, General Conditions of Contract, Scope of Work, Schedule of Prices and such other documents (except those provided for information only) as are issued for the purpose of Tendering and any other document specially referred to in the Notice of Acceptance as forming part of the successful Tenderer's offer.

VALIDITY

Tenders close at the office of the Principal by the date indicated on the Invitation to Tender. Tenders received after this closing date shall be rejected. Tender rates shall remain valid for 90 days from the closing date.

TENDER ENQUIRIES

Any enquiries regarding the Tender Documents, Scope of Works, etc should be referred to the Shire Manager of Works.

DISCREPANCIES, ERRORS AND OMISSIONS

Should the Tenderer find any discrepancy, error or omission in the Tender Documents he/she shall notify the Shire Manager of Works in writing on or before the closing date for the Tenders.

No explanation of amendment to the Tender Documents shall be recognised unless it is in the form of a written addendum thereto by or on behalf of the Principal.

TENDERER TO INFORM HIM(HER)SELF

The Tenderer shall inform him(her)self fully of all circumstances and conditions relating to the Contract and all risks and contingencies likely to affect his/her Tender. He/she shall satisfy him(her)self as to the correctness and sufficiency of his/her Tender.

Claims by the Contractor for extra remuneration on the ground of not being furnished with sufficient or accurate information will not be entertained.

SUBMISSION OF TENDER

The Tender Documents (Forms 1 to 4 inclusive) shall be completed in full by the Tenderer and submitted either:

- a) In a sealed envelope clearly marked with the Tender number and title, and delivered to the Tender Box at the Shire Admin Office; or
- b) Electronically in PDF format via email clearly stating the Tender number and title in the subject line.

The Tenderer shall not alter or add to the Tender Documents except as required by these Conditions of Tender.

The Tenderer shall sign the Tender forms where applicable, or if the Tenderer is a corporation, affix its common seal.

NOTE: The Tenderer is not to submit company profiles or brochures.

LODGEMENT OF TENDER

Tenders shall be lodged in the form stipulated by Clause 6 of these conditions. It will be the responsibility of the Tenderer to ensure the email is submitted before the closing time of the Tender.

Tenders conveyed orally or by facsimile will not be considered.

INFORMAL TENDERS

Any Tender which does not comply with the requirements of these Conditions of Tender or the general Conditions of Contract may be rejected.

PREREQUISITES OF ACCEPTANCE

Notwithstanding any other requirements of the Tender documents, the Principal may, before accepting any Tender, ask the Tenderer to submit, in writing, any or all of the following:

- A statement as to the previous experience and achievements in performing similar or comparable work and the resources to be utilised in the completion of this work.
- Proof of skills levels, qualifications, experience and capability of employees and staff that will be utilised in the completion of this work.
- Provision of a copy of relevant licenses or authority necessary to execute the work under this Contract.
- Referees who can corroborate the information provided by the Tenderer.
- Any other information considered necessary by the Principal to aid in the evaluation of Tenders received.

Any submissions made by the Tenderer may be incorporated into the Contract.

Should the Tenderer fail to submit the required information with seven (7) days of a request to do so, the Tender may be treated as informal and then rejected.

SELECTION CRITERIA

The following criteria with percentage weightings will be taken into consideration in determining the successful tenderer:

Price and price structure (score lowest to highest (score 5-1))	50%
Past experience/performance working with contracts of similar nature (score 1-5)	30%
Past experience working in a local government environment (score 1-5)	20%

RISK MANAGEMENT & EVALUATION PROCESS

Evaluation will be made on the total Schedule of Rates sum that comprises the full team to perform the work as detailed in the Scope of Works. The Tender will be evaluated using information provided in your Tender. The following evaluation methodology will be used in respect of this request:

- a) Tenders are checked for completeness and compliance.
- b) **Tenders that do not contain all information requested may be excluded from evaluation.
- c) Tenders are assessed against the Selection Criteria.
- d) Contract costs are evaluated (e.g., tendered prices) and other relevant whole of life costs are considered.
- e) The most suitable Tenderers may be short listed and may also be required to clarify their Tender, make a presentation, demonstrate the service offered and/or open premises for inspection. Referees may also be contacted prior to the selection of the successful Tenderer.

****Note:** Submitted Tender must include rates for each costed Item.

A Contract may then be awarded to the Tenderer whose Tender is considered the most advantageous Tender to the Principal.

The Principal may undertake a risk assessment as to financial capacity and technical capability that tenders are financially viable and have the financial capability to provide the services for which they are submitting and meet their obligations under any proposed Contract. Any financial assessment is specifically for use by the Principal for the purpose of assessing Tenderers and will be treated as strictly confidential.

The Shire of Gnowangerup's Purchasing Policy may affect the selection criteria.

ACCEPTANCE OF TENDER

The Principal shall not be bound to accept any Tender.

The Tender shall be deemed to be accepted when the Principal mails written notification of such acceptance to the successful Tenderer.

SUCCESSFUL TENDERER

The successful Tenderer, within thirty (30) days of receipt of Notice of Acceptance, shall sign a Deed of Contract which shall embody the General Conditions of Contract, Scope of Work, Schedule of Rates and such other documentation which form part of the Contract. If the Deed of Contract is not executed in that time the Principal may, without any notice, terminate the Contract constituted by the acceptance of the Tender.

ALTERNATIVE TENDERS

The schedule of rates is based on pre-selected methodologies based on past experience from the Management team and have provided two (2) options. If the Tenderer has alternative suggestions for carrying out the works, then they may submit an alternative Tender.

All alternative Tenders must be accompanied by a conforming Tender.

INHOUSE TENDERS

The Shire has no intention to bid on this Tender.

DISCLOSURE

Documents and other information relevant to the contract may only be disclosed when required by law under the FOI Act 1992 or under a Court order. Tender price will not be disclosed.

GENERAL CONDITIONS

The WA Local Government Association (WALGA) Minor Works Contract Conditions shall apply to this contract. Copies are available from the Shire of Gnowangerup, 28 Yougenup Road, Gnowangerup, Western Australia.

The law applicable is that of the State or Territory of WESTERN AUSTRALIA

Payments under the Contract shall be made at: The office of the Principal (Clause 1)

The Principal: Shire of Gnowangerup (Clause 1)

The address of the Principal: 28 Yougenup Road, Gnowangerup WA 6317

The Superintendent: Shire Manager of Works, or their delegate

PERIOD OF CONTRACT

The works (Exclusive of sealing and safety fencing) are to be completed by the end of (Insert Date). The anticipated date for sealing will be confirmed prior to work commencing.

The Shire reserves the right to amend, defer or terminate the works during this period with 7 days' notice to the Contractor.

TYPE OF CONTRACT

This Contract shall be a Schedule of Rates and shall not be subject to adjustment for a rise and fall in costs unless agreed to by the Principal.

Any claim for a re-adjustment of the Contract price shall be submitted in writing to the Principal.

Prices Tendered are to include labour, materials, transport, freight, overheads, profits and all other costs as applicable.

REGULATION REQUIREMENTS

The Contractor shall observe and comply with the provision of all relevant acts, ordinances, regulations, by-laws and rules currently in force in the area where the works are to be executed.

CONTRACTORS RESOURCES

Refer 1.6 of the Technical Specification

STANDARDS

Where the requirements of the Contract exceed the requirements of any standard, recommendation, or code of practice whether published or otherwise, the requirements of the Contract shall take precedence.

PAYMENT TO CONTRACTOR

The Contractor is to submit an invoice for works completed to the Shire, if registered or required to be registered for GST, a valid tax invoice for execution of the service under this Contract for the amount as agreed to by the Principal. This tax invoice shall accompany delivery of the service under this Contract. The Principal shall, within 30 days of receipt of a valid tax invoice and upon verification of the quality and suitability of the service, pay the Contractor the agreed sum.

The Contractor must quote their valid Australian Business Number (ABN) on all invoices sent. Failure to quote the Contractors ABN will result in the Shire withholding the equivalent of the top marginal rate of tax, including the Medicare Levy, from the Contract payment (48.5%).

If the Contractor is not required to quote an ABN, then the Principal must receive written confirmation of this before payment is made.

OCCUPATIONAL SAFETY & HEALTH

The Contractor shall comply with all Occupational Safety and Health Act guidelines currently in force.

INDEMNITY BY CONTRACTOR

The Contractor shall indemnify the Principal against:

- a) loss of or damage to property of the Principal, including existing property in or upon which the work under the Contract is being carried out; and
- b) claims by any person against the Principal in respect of personal injury or death or loss of or damage to any property, arising out of or as a consequence of the carrying out by the Contractor of the work under the Contract.

INSURANCE

Before the Contractor commences work, the Contractor shall take out an insurance policy in accordance with Clause 24, The WA Local Government Association (WALGA) Minor Works Contract Conditions covering against loss or damage resulting from any cause whatsoever. The policy will be maintained for the duration of the Contract.

Proof of this insurance shall be provided to the Principal prior to commencing works. Failure to supply this proof may result in rejection or termination of Contract.

PUBLIC LIABILITY

Before the Contractor commences work, the Contractor shall take out a Public Liability Policy of insurance in accordance with Clause 24, The WA Local Government Association (WALGA) Minor Works Contract Conditions in the joint names of the Principal and the Contractor which covers the Principal, the Contractor, the Superintendent and all sub-contractors employed from time to time in relation to the work under the Contract for their respective rights and interests and cover their liabilities to third parties.

The Contractor shall have and maintain Public Liability insurance for the duration of the Contract for the amount of \$20,000,000 (20 million dollars) as minimum.

INSURANCE OF EMPLOYEES

Before commencing work, the Contractor shall insure against liability for death of or injury to persons employed by the Contractor including liability by statute and at common law. The insurance cover shall be maintained for the duration of the Contract.

The insurance shall be extended to indemnify the Principal for the Principal's statutory liability to persons employed by the Contractor.

The Contractor shall ensure that every sub-contractor is similarly insured.

SCOPE OF WORKS

This specification describes the work and sets out the general requirements that are not covered elsewhere in the Contract Documents.

DESCRIPTION OF WORK:

The Contractor shall provide suitably qualified machine operators to undertake the work to an agreed standard including but is not limited to the following:

- a) Vegetation clearing / pruning grubbing and removal of all roots and detritus;
- b) Earthworks including pavement repairs, cut to fill, cut to spoil, compaction and trim of fill batters;
- c) Reconstruction and widening of the existing road pavement to a 7.6m seal with 2 x 0.9m wide shoulders (3.5+0.3m sealed shoulders = 7.6m total seal width);
- d) Overall compacted Pavement Width of 9.4 metres;
- e) Installation of drainage culverts, headwalls and Batter protection at SLK 6.18 to SLK 6.21;
- f) Removal of redundant crossover culverts;
- g) Installation of rock protection and channelisation of Floodway SLK 8.17 to SLK 8.23 RHS;
- h) Installation, trimming and grading of offshoot side drains (approximately 25);
- i) Reconstruction of and blending into existing intersections and side roads, existing carriageway and existing drains;
- j) Removal and Reinstallation of regulatory signs / relocation / installation of permanent warning signs and guide posts;
- k) Box out existing shoulder to 150mm nominal depth (Where nominated) and import gravel, compact, water bind and trim shoulders ready for gravel overlay;
- l) Scarify, blend and compact 80mm layer of the existing bituminous surface;
- m) Import gravel, blend and compact 100mm layer, water bind and final trim to receive bituminous surfacing;
- n) Widen and improve drainage where required; and
- o) Provide qualified traffic control for the duration of the project.

NOTE: Offshoot drainage should be installed to ensure flow is directed to adjacent property dams or catchment areas.

MATERIALS

Gravel Material

The Shire will provide access to nominated gravel pit at the (Proposed site; Formby South Road).

Distance from the gravel pit is:

- 31 Km lead for the furthest section of Works

Contractor is to process (or condition), load and transport the gravel required for the project. An agreed area/stockpile is to be measured jointly with shire staff before commencement of work. Contractor is to use "due diligence" with the quantity of gravel and the Shire is not accountable for extra materials used.

DETAILS FROM PICKUP OF DEFECTS

Start	Finish	Length	Width	Area	Volume	Side	Defect	Proposed Treatment
6.00	9.18	3180.00	6.00	19080.00		FW	Clearing & Grubbing	Remove Scrub and Debris from Drain / Backslope, Prune any overhanging limbs that may interfere with machine movement or access.
6.00	9.18	3180.00	9.40	29892.00	5432.87	FW	Surface defects	Rehabilitate / Rework Pavement, add 125 mm of gravel and finish to Final trim to accept Seal.
6.00	9.18	3180.00	2.20	6996.00	1525.83	B/S	Shoulder defects	Rehabilitate / Rework Shoulder materials to ensure structural integrity of pavement.
6.18	6.21	30.00	2.00	60.00		B/S	Floodway	Install Rock Armour along batterslope on RHS
6.44	6.44	0.00	1.00			RHS	Culvert	Widen Culvert 2.4m RHS 1.2m LHS install new headwalls
6.49	6.50	10.00	2.50	25.00	5.45	RHS	Pavement Failure	Boxout and Repair Pav Failure .900 wide plus Shoulder
6.69	6.70	10.00	2.50	25.00	5.45	RHS	Pavement Failure	Boxout and Repair Pav Failure .900 wide plus Shoulder
6.86	6.86	0.00	1.00			LHS	Crossover Culvert	Remove existing pipe and Replace with 300mm x 12m RPVC
7.00	7.00	0.00	1.00			RHS	Culvert	Clean inlet and outlet replace Headwalls both sides
8.17	8.23	60.00	2.00	120.00		LHS	Floodway	Cadalelup Creek (Seal Shoulder to hinge point and Install Rock Armour along batterslope on RHS with Geofabric underlay)
8.38	8.38	25.00	4.00	100.00		RHS	Blocked Offshoot	Reopen Offshoot into Dam
8.84	8.84	0.00	1.00			RHS	Culvert	Install New Headwall both sides
5.90	9.18	3280.00	7.60	24928.00		FW	Seal Surface	Shire will undertake Seal. Contractor to submit completion date as progress report requirement
6.00	9.18	3180.00			25.00		Offshoots	Install Offshoots / Deflection bunds at appropriate intervals
					24.00		Traffic Control	
					24.00		Accommodation	



SHIRE OF GNOWANGERUP

TENDER FORMS

(Inclusive of this page is to be Submitted in Full)

FORM 1

FORM OF TENDER

The Chief Executive Officer Shire of Gnowangerup

Dear Sir/Madam

Tender No. RFT2023-2

Kwobrup Road Stage III

Pavement Construction (Gravel Overlay) Including Shoulder Rehabilitation,
Vegetation Clearing, Install Offshoot Drains, Culvert & Drain Widening

I/We the undersigned, hereby Tender to carry out the work encompassed by this Contract in accordance with the WA Local Government Association (WALGA) Minor Works Contract Conditions and Scope of Works and as per the Schedule of Rates annexed hereto.

The Tender is submitted in accordance with the Conditions of Tender. Until the execution of a formal Deed of Contract, this Tender, the written acceptance thereof, and any other matters agreed in writing, shall be a binding Contract.

Name and Address of Tenderer

.....

.....

.....

Signature of Tenderer

.....

Date

Name and Address of Witness

.....

.....

.....

Witness's Signature

.....

Date

FORM 2

SCHEDULE OF RATES

Tender No. RFT2023-2

Pavement Construction/Overlay Including Shoulder Rehabilitation, Pavement Repairs, Vegetation Clearing, Installation Of Offshoot Drains & Culvert/Drain Widening

Description	Rate = \$	Volume	Amount exc GST
Vegetation clearing and grubbing including side drains		19704 M ²	
All Earthworks including pavement repairs (including cement stabilised backfill)		50 M ²	
Reconstruction of the road pavement and Overlay (125mm)		29892 M ²	
Shoulder Rehabilitation		6996 M ²	
Install drainage culvert extensions, headwalls		8 Items	
Install Offshoot Drains as directed		25 (Approx)	
Supply and Install Rock Protection		360 M ² , (450 Tonne)	
Bituminous Surfacing	0		
Line-marking	0		
Provide qualified traffic control		24 Days	
Accommodation		24	
Provisional sum for unspecified works			\$20,000

SUBTOTAL

GST

TOTAL

Name and Address of Tenderer

Name and Address of Witness

.....

.....

.....

.....

.....

.....

Signature of Tenderer

Witness's Signature

.....

.....

Date

Date

FORM 3

PREVIOUS EXPERIENCE / PAST PERFORMANCE

Tender No. RFT2023-2

**Pavement Construction/Overlay Including Shoulder Rehabilitation, Pavement Repairs,
Vegetation Clearing, Installation Of Offshoot Drains & Culvert/Drain Widening**

Tenderer is to provide background of past performance on projects of similar nature.

Name of Project	Project Description	Year	Value

Any other Comments:

.....

.....

.....

Reference Checking:

Please attach current client base list with contact details for reference checking.

Name of Tenderer:

FORM 4

INSURANCE DETAILS

Tender No. RFT2023-2

**Pavement Construction/Overlay Including Shoulder Rehabilitation,
Pavement Repairs, Vegetation Clearing, Installation Of Offshoot Drains &
Culvert/Drain Widening**

The following information is to be provided by the Tenderer:

PUBLIC LIABILITY

Insurer (Company): Policy No:
Extent of Cover: \$ Expiry Date:

PROFESSIONAL INDEMNITY

Insurer (Company): Policy No:
Extent of Cover: \$ Expiry Date:

WORKERS COMPENSATION

Insurer (Company): Policy No:
Extent of Cover: \$ Expiry Date:

Name of Tenderer:



SHIRE OF GNOWANGERUP

BORDEN GNOWANGERUP ONGERUP

Contract RFT2023-2

KWOBRUP RD (3070001)

**Pavement Construction (Gravel Overlay) Including Shoulder
Rehabilitation, Vegetation Clearing, Install Offshoot Drains,
Culvert & Drain Widening**

SLK 6.00 to SLK 9.18

Technical Specification

Contents

Error! Bookmark not defined.

GENERAL.....	1
1.1 Scope.....	1
1.2 Description of Work:	1
1.3 Location.....	1
1.4 Standard of Work	1
1.5 Workplace safety.....	1
1.6 Plant and Equipment.....	1
1.7 Contractor's Programme	2
1.8 Site Meetings	2
1.9 Survey Control and Setting Out	2
1.10 Dimensions and Existing Conditions	2
1.11 Water Supply.....	2
1.12 Traffic Control	2
1.13 Working Days and Hours	3
1.14 Haulage Routes	3
1.15 Environmental Management.....	3
1.16 Working Methods.....	4
1.17 Cessation of Work/Stand down of Resources	4
1.18 Adjacent Residences.....	4
1.19 Quality of Works	4
1.20 Utilities.....	4
1.21 Additional Information/Instruction	5
CLEARING	5
2.1 General.....	5
2.2 Spoiling of Vegetation and Waste Material	5
2.3 Damaged Areas	5
EARTHWORKS.....	6
2.4 General.....	6
2.5 Extent of Work	6
2.6 Principal Supplied Materials	6
2.7 Excavations	6
DRAINAGE	7
2.8 Drainage structures	7
2.8.1 General	7
2.8.2 Australian Standards.....	7
2.9 Materials	7
2.10 Setting Out	7
2.11 Drain Construction (Reinforced Concrete Pipes).....	7
2.12 Headwalls for Reinforced Concrete Pipes	7

2.13 Stone Pitching	7
2.14 Backfilling of Pipe Trenches	8
2.15 Cleaning Up	8
ROADWORKS	8
3.0 General.....	8
3.1 Australian Standard.....	8
3.2 Material	8
3.3 Sub-base.....	8
3.4 Basecourse	9
TRAFFIC FACILITIES	10
3.5 Signage.....	10
3.6 Guide Posts and Culvert Markers	10
4.0 Gravel Pit Location.....	10

GENERAL

1.1 Scope

This specification describes the work and sets out the general requirements that are not covered elsewhere in the Tender / Contract Documents.

1.2 Description of Work:

The work involves but is not limited to:

- a) Minimal vegetation clearing, pruning, grubbing and removal of all roots and detritus to facilitate the works;
- b) Reconstruction/rehabilitation and widening of the existing 9.4 wide road pavement to a 7.6m seal with 0.9m wide shoulders (0.3m sealed and 0.6m unsealed);
- c) Installation of drainage culverts, headwalls, including replacement (Principal supplied item, installation only) of crossover RCPP's at the nominated locations;
- d) Installation, trimming and grading of side and offshoot drains;
- e) Reconstruction of and blending into existing intersections, property access, side roads, existing carriageway and existing drains; and
- f) Removal and Re-installation of permanent warning signs and guide-posts;

1.3 Location

The Contract Works are located on Kwobrup Road (SLK 5.98 to SLK 9.18) within the Shire of Gnowangerup.

1.4 Standard of Work

All materials and workmanship used in the execution of the Contract Works shall comply with the requirements of this Specification and nominated standards.

1.5 Workplace safety

All work shall be carried out with due regard for the safety of employees and the general public and in compliance with all relevant Acts and Regulations.

The Contractor shall comply with the Occupational Safety and Health Act 1984 and the Occupational Safety and Health Regulations 1996 and any amendments that may be made.

The Contractor shall conduct site inductions for all employees and sub-contractor's employees to make them aware of all potential hazards and take measures to minimise accidents.

The Contractor shall refer to WorkSafe WA for Codes of Practice relating to specific matters such as, but not limited to, First Aid, Workplace Amenities and Excavations.

1.6 Plant and Equipment

The Contractor shall supply all plant and equipment necessary to carry out the works and shall not remove from the site any plant and equipment, which will hinder or delay the progress of the work, without the written approval of the Principals' Representative.

Plant shall be of adequate capacity and rating to carry out work specified. The Contractor shall remove from the work any plant or equipment considered by the Principals' Representative to be unsuitable for carrying out the work in accordance with the specification.

The contractor will supply a list of plant that state size, capacity, volumes and license / registration details etc.

No unregistered plant items are to be used on the carriageway.

If at any time during the progress of the Works, plant, equipment or labour appear to the Principals' Representative to be insufficient, inefficient or inappropriate to secure the quality of work required, or the proper rate of progress, the Principals' Representative may direct the Contractor, at the Contractor's cost, to remove all abovementioned deficiencies to bring the project back on track and quality up to standard.

1.7 Contractor's Programme

The Contractor shall submit to the Shire's Representative, within one week from acceptance of tender, a Simple Construction Programme detailing:

- a) Start and completion dates for each main activity or task such as clearing, earthworks, drainage, pavement construction/completion etc.

1.8 Site Meetings

No work shall commence until pre-start requirements have been met and a start-up meeting has been held between the Contractor and Shire of Gnowangerup representative.

1.9 Survey Control and Setting Out

Permanent control marks and temporary benchmarks have been located within the site and if disturbed will be required to be replaced by Suitably qualified surveyor at the Contractor's expense.

The Contractor shall use the control marks for the setting out of the road alignment to an accuracy of ± 0.050 metres for line and distance.

The Contractor is responsible for replacing any pegs disturbed by the works under his control.

1.10 Dimensions and Existing Conditions

The Contractor is responsible for checking all pertinent dimensions and existing conditions on or about the site before commencement of work. Any work component shown on the drawings but not included in this Specification or included in this specification but not shown on the drawings, shall be deemed to be part of the Contract.

1.11 Water Supply

The Shire of Gnowangerup will supply of suitable water for construction purposes.

Potable water is not to be used for general construction purposes.

The Contractor shall comply with any water restrictions imposed by the Water Corporation.

1.12 Traffic Control

1.12.1 General

The Contractor is responsible for all traffic management measures relating to the Contract Works. The traffic management measures required for the Contract Works may include lane closures, traffic diversions, signage, other temporary measures and public communication. The Contractor must supply all traffic control devices, including signs, lights, cones and barricades, and erect and maintain all such devices in good condition for the duration of the works. The Contractor must provide MRWA accredited Traffic Controllers as required to ensure the safety of motorists, road users and workers.

1.12.2 Standards and Code Practice

All work and traffic control measures must be performed in accordance with the following Code of Practice and Australia Standards:

- MRWA Traffic Management for Roadwork's, Code of Practice 2018

- AS 1742.1 – 2003 Manual of Uniform Traffic Control Devices Part 1 – General Introduction and Index of Signs
- AS 1742.3 – 2009 Manual of Uniform Traffic Control Devices Part 3 – Traffic Control for Works on Roads

Any road closures shall be in accordance with the Local Government Act sections 3.50, 3.50A, 3.51 and 3.52 and the Contractor shall apply to the Shire of Gnowangerup for approval to close the road at least 21 days before the closure is required.

1.12.3 Traffic Management Plans

The Contractor is responsible for preparation, implementation and auditing of a Traffic Management Plan for each respective stage of the Contract Works.

The Traffic Management Plan(s) must be prepared by an accredited person and submitted to the appropriate road controlling authority and Principals' Representative five days prior to the proposed commencement of works.

The Principals' Representative and road controlling authority may review, amend, direct or take whatever steps considered necessary to properly provide for the safety of road users and others.

1.12.4 Indemnity

The Contractor shall indemnify the Principal against all claims, demands, proceedings, costs and expenses incurred in consequence of any action arising out of any third party claim in respect to traffic control.

1.13 Working Days and Hours

Normal working days are Monday to Friday and do not include Saturdays, Sundays and Public Holidays.

Normal working hours are between 6.00 a.m. and 6.00 p.m. but for the purpose of variations and extensions of time to the Contract shall consist of 8 hours per working day.

Where the Contractor considers it essential to work outside normal working hours or normal working day, he must request in writing prior approval from the Principal or Principals' Representative and this approval, if granted, shall not be construed as a variation.

1.14 Haulage Routes

1.14.1 Maintenance

Haulage routes shall be managed and maintained to minimise the impact on the appropriate road controlling authority.

Haulage routes may be inspected by the Principals' Representative to record the current standard of the road prior to commencement of hauling.

1.14.2 Suspension of Cartage on Haulage Routes

The road controlling authority may direct suspension of cartage on haulage routes for a period when wet weather or other adverse conditions affecting the road surface or drainage that could compromise the road integrity and public safety.

If work cannot proceed on other activities, the time for suspension of the Contract shall be extended by the cumulative total of all periods of cessation of work directed by the Principals' Representative which are within the specified working hours.

1.15 Environmental Management

1.15.1 Dust Control and Air quality

The Contractor is responsible for controlling and minimising the generation of dust on

the site.

The Contractor shall comply with the provisions included in "A guideline for managing the impacts of dust and associated contaminants from land development sites, contaminated sites remediation and other related activities" (Department of Environment & Conservation, March 2011).

1.16 Working Methods

The Contractor shall adopt orderly working methods that:

- a) minimise waste of materials;
- b) dust generation; or
- c) disruption beyond reasonable delay to traffic flow.

1.17 Cessation of Work/Stand down of Resources

The Principals' Representative may direct the Contractor to cease operations and stand-down all resources for events including, but not limited to; total fire bans movement of vehicle bans as imposed by Department of Fire and Emergency Services', or directions by Authorities. Extensions of time will be granted for such stand-downs.

If applicable and where directed by the Principals' Representative during the period of cessation of work, the Contractor shall continue to operate the dust suppression measures specified and endeavour to suppress dust as much as possible.

During the period of cessation of work the Contractor shall keep all machinery and supplies on site and maintain his capability to restart work at the first opportunity.

The time for completion of the Contract shall be extended by the cumulative total of all periods of cessation of work directed by the Principals' Representative which are within the specified working hours.

1.18 Adjacent Residences

The Contractor shall ensure particular attention is given to plant, equipment and manpower operations so as to avoid causing a nuisance to adjacent residences property owner's due to the works. The contractor shall be fully responsible for any damage caused, particularly damage that may be caused by his plant or equipment.

records shall be considered as built information and forwarded to the Principals' Representative in accordance with the Contract.

1.19 Quality of Works

The principles used to define the limits of any lot for the contract are defined in Main Roads Specification 201: Quality Systems. A lot is defined as follows:

- a) The maximum size of a lot is limited to the quantity of work that is subject of a single conformance decision;
- b) The whole of the works included in the lot shall be continuous;
- c) The lot has been produced using the same work process;
- d) The lot has been brought to completion at the same time; and
- e) The lot shall appear to be of a constant quality without obvious changes in attribute values, whether or not these attributes form part of the acceptance criteria.

1.20 Utilities

The Contractor must ascertain and verify on site by whatever means the exact location of the utilities from the respective utility provider, Department or Authority, prior to commencing works in the area.

The Contractor must make the appropriate allowances in the Contractor's Works Program for all necessary liaison, relocation (if required) and programming with service authorities as required for the provision of installation by service authorities during the Works. The Contractor must reinstate and make good and backfill service trenches to the relevant restoration and reinstatement specification for local government in Western Australia.

No utility, private or public, may be moved to accommodate the Contractor's equipment or its method of operation when the utility does not interfere with the Works, unless such removal is at the expense of the Contractor, and in each case subject to the approval of the utility authority concerned.

The Contractor must take all precautions necessary to prevent damage to existing fencing, drainage structures, telephone and power lines, water mains and services and other facilities and features during the Contract period. The Principals'

Representative may arrange for the repair of damage not made good by the Contractor and the cost of such repair will be deducted from payments due to the Contractor.

1.21 Additional Information/Instruction

The Contractor shall give immediate notice of any instruction or clarification required from the Principal if such instruction or clarification is needed to avoid delaying the works.

CLEARING

2.1 General

Clearing will involve the pruning, removal and disposal of all vegetation including, but not limited to, all trees standing or fallen, brush, shrubs, scrub, grasses, other vegetation material, rubbish, debris, table drain sludge and associated material and boulders from within the areas designated as the maintenance zone/area.

All Clearing / Pruning of vegetation within this zone is to be carefully considered to both protect vegetation and construction plant in its execution of that activity.

Clearing lines including all of the above must be set out by the Contractor and approved by the Principal prior to the commencement of any clearing. Special attention shall be paid to any mature trees including damage caused by construction activities. No clearing shall take place or areas disturbed for construction of temporary works, access tracks, spoil areas or site office locations.

Prior to the commencement of the clearing operation, the Contractor shall seek confirmation from the Principal that the clearing areas have been correctly defined and any trees tagged for removal are clearly marked

All waste material is to be removed from the project site to the Contractor's nominated disposal site and the Contractor is responsible for all costs associated.

2.2 Spoiling of Vegetation and Waste Material

All vegetation and waste material shall be disposed of by the Contractor at the Contractor's disposal site or other approved waste disposal site.

On completion of the clearing, all vegetation, spoil and waste material must be removed from the Site. No vegetation, spoil or waste material shall be pushed beyond the limits of the site.

Burning is not to be used as a method of vegetation disposal on the Work Site.

2.3 Damaged Areas

The Contractor shall take precautions to prevent any damage to vegetation, trees, shrubs, grassed areas, fences and other improvements outside the areas nominated to be cleared.

In the event of any damage to vegetated areas outside the clearing areas, the Contractor shall make good, at its own cost, as directed by the Principal.

EARTHWORKS

2.4 General

Earthworks includes all excavation, trenching, filling, compaction and trimming as necessary to complete the topsoil removal and replacement, embankments, subgrade, table drains, drainage channels and batters to the shapes and levels specified or as shown on the drawings.

2.5 Extent of Work

The extent of work involves:

1. Subgrade preparation;
2. The importing of select sub base material where required.
3. Establishment of longitudinal side drains to suit existing drainage alignment.
4. Importation of base course materials.
5. Installation of table drain blocks or offshoot drains.
6. Final trim of all pavement surfaces

The Contractor is responsible for the assessment of the material nominated for the works and to select plant which will achieve the specified results. The Contractor shall also assess the quantities of earthworks to be carried out, including any effect on the levels of the in-situ material due to the operations selected by the Contractor.

2.6 Principal Supplied Materials

The Principal has made available materials to be incorporated within the works;

- Gravel, both sub base and Basecourse is within private pasture land approx 10 Slkm on Formby South Rd LHS
- Culvert units and Headwall structures will be available from the Gnowangerup Shire depot.
- Rock will be sourced from Carbrup Quarry, Carbrup Rd Mount Barker

2.7 Excavations

Table Drain excavations and construction

Existing table drains are to be re-graded

This Contract is a lump sum and the amount tendered shall include the cost of reshaping the table drains and shoulders.

Rock General

This Contract is a lump sum and the amount tendered shall include the cost of excavation of all rock encountered.

Rock in Table drain

Rock is defined as that material which cannot be excavated by a hydraulic excavator fitted with a rock bucket at a rate of more than 15m³/hr with a 20tonne hydraulic excavator, i.e. Hitachi EX320 or similar.

NOTE; Location SLKM 7.96 Left hand side there is a rock knob within the drain line/ shoulder.

This high point is to be lowered to allow table drain flow along Slkm 7.86 to Slkm 7.98 LHS

Pavement Failures

Where nominated as Pavement Failure Repair, the Contractor shall boxout to the dimensions supplied in the tender Document.

The contractor shall inspect for any unsuitable materials remaining, test the base using the "Pick Handle" method for soundness before completing the backfill process, compacting the materials to the surrounding existing equivalent surface.

DRAINAGE

2.8 Drainage structures

2.8.1 General

The Contractor shall supply, install and construct stormwater drainage infrastructure as shown on the Drawings and detailed in the Specification and as per Manufacturers Specifications.

2.8.2 Australian Standards

All workmanship and materials used in the Contract Works shall conform to the current Australian Standards where such Standards exist. Where such Standards do not exist, the current Authority's Standards shall apply.

2.9 Materials

1. Concrete Pipes (RC) and Headwalls

All concrete pipes shall conform to AS 4058 and subsequent Amendments and shall be spigot and socket rubber ring joint type, unless otherwise specified or authorised by the Principal. Strength Class shall be "2" for culvert extensions unless otherwise noted on the Drawings. All headwalls to be used shall be precast concrete unless shown otherwise on contract drawings.

2.10 Setting Out

General

In all instances culverts/headwalls are to be installed/constructed in the locations shown. Centre lines and invert levels are to be strictly adhered to and no alterations shall be made except on the written authority of the Principal.

2.11 Drain Construction (Reinforced Concrete Pipes)

Pipe Setting

All pipes shall be set in a straight line between headwalls. On inspection by the Principal, any pipe not placed in a straight line shall be replaced at the cost of the Contractor.

RC Concrete Pipe, CR Plastic Pipe Jointing

Spigot and socket pipes shall be jointed with the spigot fully home in the socket and seal at the joint. Pipes shall be laid such that the sockets is utilised to provide adequate jointing.

Pipe Bedding

Pipes shall be bedded on clean sand bedding. Pipes constructed in wet ground conditions shall be bedded on crushed rock bedding, all in accordance with Industry best practice.

2.12 Headwalls for Reinforced Concrete Pipes

Headwalls shall be bedded on sand compacted in accordance with the Earthworks section of this specification.

Headwalls shall be constructed of precast concrete unless noted otherwise stated. If mortared stone, stabilised sand/sandbagged headwalls are specifically nominated in any locations they shall be constructed of quality materials.

2.13 Stone Pitching

Stones shall generally weigh in excess of 10 kg each and the greatest dimension of any stone shall not exceed 1.5 times its least dimension.

Stones shall be hard, sound and durable, shall be set in a tight fitting pattern and where practical laid on geofabric.

2.14 Backfilling of Pipe Trenches

General

Cement stabilized backfill shall be used for backfilling to all culvert installation at the recommended MRWA specified 60 to 100 kg of GP Portland cement to one cubic metre of granular materials at approx 1% over its OMC.

Place the back-filling in maximum 300mm layers and compact to a density at least equal to the density of the adjacent undisturbed soil or to not less than a dry density ratio of 92%.

2.15 Cleaning Up

Any damage done by the Contractor or his employees to buildings, fences, services, etc. shall be immediately made good to the approval of the Principal.

During the period of the Contract, the Contractor shall clean up the construction site and remove all surplus construction material and debris. The Site shall be clean and tidy.

ROADWORKS

3.0 General

The work to be completed under this specification consists of the installation / processing of materials and construction of sub-base and basecourse pavement layers. Centre line survey offsets are provided for alignment controls.

Vertical alignment shall rely on the contractor's survey controls from the existing centreline observations.

3.1 Australian Standard

All workmanship and materials used in the Works shall conform to the current Australian Standard where such Standard exists. Where such Standard does not exist the current Local Authority's Standard and MRWA specification apply.

3.2 Material

Natural Gravel to be used for Sub-base and Basecourse and is Principal supplied.

Natural gravel basecourse shall consist of a clean, durable aggregate in a soil matrix. The gravel shall be free from roots, humus, organic

The Principals supplied basecourse gravel has a PI a higher PI than MRWA specified attributes for Basecourse.

Previous works have used the same materials, and with due care have produced suitable outcomes.

Note: Refer 4.0 Gravel Pit Location.

Haulage route approx 27 kilometres. 9.78 Slkm Formby Rd South LHS turn into gate approx 400 metres along track.

All vehicles are to use existing track only.

3.3 Sub-base

3.3.1 Shoulder Rehabilitation

Where nominated, the shoulder is to be ripped boxed out to approx 150mm below the existing seal level. The boxed-out materials may be re-blended with the sub base layer if it

does not contain unsuitable materials.

3.3.2 Sub Base Layer

The existing seal layer is to be scarified and blended, balanced, compacted and trimmed to become the new Sub-base layer.

The new worked layer shall not be greater than 100mm and not less than 80mm.

The sub-base material shall be thoroughly blade mixed on the alignment by windrowing to achieve uniformity free from any evidence of segregation.

Laying of the sub-base gravel shall be carried out with graders, compacted with static and vibratory rollers and finished with steel wheel and rubber tyre rollers in order to achieve the required compaction and standard of finish.

3.3.3 Finish Surface

Completed pavement layers shall be in a uniformly bound condition with no evidence of layering or disintegration. The finished surface shall be of dense, even texture and tightly bound.

Completed sub-base construction shall be maintained to the specified standards of surface shape, level and compaction up to the time of construction of the basecourse.

Watering shall be continued only as necessary to prevent shrinkage cracking, dusting or loosening of the surface.

3.3.4 Tolerances

3.3.4.1 Base course and Sub-base Width

The outer top edge of the sub-base layer shall not be less than the specified width and no more than 300 mm further from the road centreline than the positions described in the Tender documents

3.3.4.2 Surface Shape

The shape of the sub-base shall be judged to be acceptable when the maximum deviation from a three (3) metre straight edge placed in any position on the surface does not exceed 10mm.

3.4 Basecourse

3.4.1 General

Each basecourse layer including the tapered shoulders shall be constructed to the dimensions within the Tender Documents and the requirements of this specification and to the specified tolerances.

3.4.2 Commencement

Basecourse construction shall not commence until the sub-base has dried back such that the estimated Characteristic Moisture Content is equal to or less than 85% of optimum moisture content.

3.4.3 Construction

A basecourse layer of a nominal 125mm depth will be added to the prepared sub base layer.

Basecourse shall be worked in compacted layers of not more than 125 mm nor less than 100 mm compacted thickness.

The basecourse material shall be thoroughly blade mixed on the alignment by windrowing to achieve uniformity free from any evidence of segregation.

Laying-in of the basecourse material shall be carried out with graders, compacted with static and vibrating rollers and finished with steel wheel and rubber tyre rollers in order to achieve

the required standard of finish.

During final shaping and compacting, the shape shall be checked frequently and corrected as necessary by grading under the direction of an experienced foreman.

3.4.4 Compaction

The Contractor shall ensure that basecourse compaction is carried out with uniform moisture content, maintained within 2% of the optimum moisture content, and a uniform compactive effort applied longitudinally and transversely to the alignment.

3.4.5 Finish Surface

The finished basecourse shall be in a uniformly bound condition with no evidence of layering or disintegration. The finished surface shall be of dense, even texture, tightly bound and suitable to receive bituminous surfacing.

The base shall be watered, compacted and cut to grade and cross-fall.

Completed base course construction shall be maintained to the specified standards of surface shape, level, compaction and finish up to the time of application of the bituminous surfacing.

Watering shall be continued as necessary to prevent shrinkage, cracking, dusting or loosening of the surface.

TRAFFIC FACILITIES

3.5 Signage


The Contractor shall at a minimum remove for safe keeping and then reinstall all existing signs.

Reinstallation of existing signage shall be undertaken in conformance with Main Roads WA *Specification 601 - Signs* (available via the MRWA website).

3.6 Guide-Posts and Culvert Markers

The Contractor shall remove all existing guide-posts and install new flexible guide-posts as per Main Roads WA *Specification 602 - Guide Posts* (available via the MRWA website). Guide-posts manufactured from plastic are not to be used.

4.0 Gravel Pit Location





FEARS AND WORRIES

FIND OUT HOW YOU CAN REDUCE ANXIOUS FEELINGS & BUILD RESILIENCE SKILLS IN YOUNG CHILDREN (3-10 YEARS)

- Understand more about stages of child development and personality types.
- Find out about the brain and how it works, including the *Amygdala* where fear and anxious feelings originate.
- What strategies work (and what don't) to help you manage your children's worries

Where: Yongergnow-Ongerup CRC, Jaekel St, Ongerup

When: Friday 5th August 2022

Time: 9.30am to 12.30pm

Facilitator: Margot Morgan (Wanslea)

To register: Please contact - Yongergnow-Ongerup Community Resource Centre

Phone 9828 2325

Email: events@ongerupcrc.net.au

Supported by



Government of Western Australia
Department of Communities



Delivered by



SHIRE OF GNOWANGERUP
BORDEN GNOWANGERUP ONGERUP

REQUEST FOR TENDER

Tieline Road Stage I

Shoulder Rehabilitation, Surface Preparation for Seal Works

SLK 36.29.00 To SLK 28.00 (Approximately)

Tender No. RFT2023-3

The Shire of Gnowangerup invites sealed Tenders from suitably qualified and experienced civil contractors to undertake:

Shoulder rehabilitation works, ready for bitumen seal on Tieline Road for an approximate distance 8.26 SLKs. It is expected for this work to occur during the usual construction period of early October 2022 onwards based on weather conditions.

Tender documents may be obtained from the Shire Administration Office at 28 Yougenup Road, Gnowangerup during the hours of 8.30am and 4.00pm Monday to Friday, before the close of the Tender. Alternatively, bidders can request an electronic copy by contacting Chelsea Why at the office on 9827 1007 or at gnpshire@gnowangerup.wa.gov.au.

Further information may be obtained from Geoff Carberry, Asset & Waste Management Coordinator, on 0499 899 423.

Tenders shall be valid for a period of 90 days after Tender opening and can be lodged in person in the Tender Box at the Shire Administration Office or emailed to gnpshire@gnowangerup.wa.gov.au on or before 2:00pm (AWST) Monday 1 August 2022.

Bob Jarvis
CHIEF EXECUTIVE OFFICER



WIN A
DOUBLE
PASS!

Head to a Borden Pavilion
Facebook or Instagram
before Sun 17 July

Thursday 25
August

6 Doors open
pm

+ Dinner, bar & creche

AT BORDEN PAVILION WITH



The Nelson Twins



Jon Pindel



Ting Lim



Squirly

ON SALE MONDAY 18 JULY 2022

TICKETS events.humanitix.com/comedygoldborden



SHIRE OF GNOWANGERUP
BORDEN GNOWANGERUP ONGERUP

REQUEST FOR TENDER

Kwostrup Road Stage III

Pavement Construction (Gravel Overlay) Including Shoulder Rehabilitation,
Vegetation Clearing, Install Offshoot Drains, Culvert & Drain Widening

SLK 6.00 To SLK 9.44 (Approximately)

Tender No. RFT2023-2

The Shire of Gnowangerup invites sealed Tenders from suitably qualified and experienced civil contractors to undertake:

Pavement Construction including, shoulder widening, pavement repairs, vegetation clearing and culvert / drain widening ready for bitumen seal on Kwostrup Road for an approximate distance of 3.08 SLKs. It is expected for this work to occur during the usual construction period of early October 2022 onwards based on weather conditions.

Tender documents may be obtained from the Shire Admin Office at 28 Yougenup Road, Gnowangerup during the hours of 8.30am and 4.00pm Monday to Friday, before the close of the Tender. Alternatively, bidders can request an electronic copy by contacting Chelsea Why at the office on 9827 1007 or at gnpshire@gnowangerup.wa.gov.au.

Further information may be obtained from the Shire's Asset & Waste Management Coordinator, Geoff Carberry, on 0499 899 423.

Tenders shall be valid for a period of 90 days after Tender opening and can be lodged in person in the Tender Box at the Shire Administration Office or emailed to gnpshire@gnowangerup.wa.gov.au on or before 2:00pm (AWST) Monday 1 August 2022.

Bob Jarvis
CHIEF EXECUTIVE OFFICER



SHIRE OF GNOWANGERUP
BORDEN GNOWANGERUP ONGERUP

REQUEST FOR TENDER

Kwobrup Road Stage III

**Pavement Construction (Gravel Overlay) Including Shoulder Rehabilitation,
Vegetation Clearing, Install Offshoot Drains, Culvert & Drain Widening**

SLK 6.00 To SLK 9.44 (Approximately)

Tender No. RFT2023-2

The Shire of Gnowangerup invites sealed Tenders from suitably qualified and experienced civil contractors to undertake:

Pavement Construction including, shoulder widening, pavement repairs, vegetation clearing and culvert / drain widening ready for bitumen seal on Kwobrup Road for an approximate distance of 3.08 SLKs. It is expected for this work to occur during the usual construction period of early October 2022 onwards based on weather conditions.

Tender documents may be obtained from the Shire Admin Office at 28 Yougenup Road, Gnowangerup during the hours of 8.30am and 4.00pm Monday to Friday, before the close of the Tender. Alternatively, bidders can request an electronic copy by contacting Chelsea Why at the office on 9827 1007 or at gnpshire@gnowangerup.wa.gov.au

Further information may be obtained from the Shire's Asset & Waste Management Coordinator, Geoff Carberry, on 0499 899 423.

Tenders shall be valid for a period of 90 days after Tender opening and can be lodged in person in the Tender Box at the Shire Administration Office or emailed to gnpshire@gnowangerup.wa.gov.au on or before **2:00pm (AWST) Monday 1 August 2022.**

Bob Jarvis
CHIEF EXECUTIVE OFFICER

Trades and Technical

BUTCHER
Broome General Butcher
Butch for buy retail/wholesale
shop in Broome. Great pay,
fishing and good lifestyle.
0417 804 486

Butcher

Kolupur IGA is seeking a
qualified butcher to join our
team. Full time position,
\$39,000 pa. Accommodation
available. Contact Braden
0439 711 000

**CABINET MAKER and
Apprentice**, commercial work.
Boysenwater area. 9272 6381

ROOFITEL

With exp for roofing repairs
and possible roof for fence
work. Must have own tools,
vehicle & insurance. West Perth
0412 440 481

SPRAYPAINTER

Must be qualified, wage neg.
If you're not happy where you
work let me see how I can
make you. Friendly environment.
Family business. West Perth
0411 101 630 or 9227 9996

STIRLINGS

RESOURCES & SERVICES

VARIOUS ROLES

- Internal Sales / Customer Service Representatives
- Machinists / Operators - Laser / Plasma
- Storeman/Factory Hands

Stirlings is a privately owned distributor of Stainless & Performance Steel products of nearly 50 years!

We pride ourselves on being Perth-based, family owned business. We want you for the long term. We look to support & train you, and offer you a career path so you can serve our customers with the service this company benchmarks itself on.

We offer a competitive salary package. Must have working rights for Australia. Please send your resume to HR@stirlingsps.com

General Positions

GENERAL

DRIVER/FACTORY HAND
Casual req'd for wardrobe factory. Balcatta. Ph 9344 4999 10am-5pm Mon-Fri

Farmer Jack's

Farmer Jack's are opening a brand new exciting store. In Come In July!

We are on the lookout for fun, motivated and enthusiastic staff to join our family in our brand new store in all departments!

We have positions available for the following:

- Assistant Store Manager
- Grocery Manager
- Dairy / Freezer Manager
- Meat Manager
- Produce 3/4
- Store Manager
- Service Manager
- Check out / Cashier

Experience in retail is preferred but not essential as we will provide full training!

What can you expect by joining the Farmer Jack's family?

- A Fun Friendly atmosphere
- Job Security
- Family Friendly
- Store Discounts
- Above Award Remuneration
- Weekly Pay
- Career progression and Leadership Opportunities

If you're ready for a change or a new position and want to jump into your next role with WA's own supermarket and send your resume to: farmerjacksdepartment@gmail.com

GROCERY MANAGER

SUBICAO, Full-time Grocery Manager needed for Subicaco. Immediate start. Email CV to: farmerjacksdepartment@gmail.com

Pool Technician SOR

Pool Service person to clean & balance pools. Must have new pool equipment. Well over 40 yrs in business. Eps. info@shenton.com.au or Phone: 0412 107 780

Store Managers and Assistant Managers

Various Metro Retail Management positions available around Perth CBD. Email CV to: farmerjacksdepartment@gmail.com to express interest.

TRAFFIC CONTROLLERS

Req'd for Inland start. Must be 18 yrs or older, hold a BWM & TC tickets & drivers licence. Western Power and Exp. & willingness to work weekends req'd. Ph 9277 038 395

RURAL EMPLOYMENT

SHEARER WANTED
To start 14th July
Accom & meals available.
Please ring 0429 807 045

Building and Construction

CEILING'S Fulltime Fix/Flush & Concreting for immediate start, residential ceilings & walls. Must have ABN & White card. Gps 0403 872 244

PAINTER Tradeperson, Clean and tidy, reliable. Full-time/casual, F/T or A/B. Ph Brett 0412 402 168

ROOF PLUMBER - Looking for a roof plumber with experience in commercial and industrial roofing. Must have a white card and ABN preferred. Must be able to work in all areas and have own tools and reliable transport. Top rates for suitable applicants. Please call: 0412 945 407 or 0409 113 208

Hospitality and Tourism

ROOM ATTENDANT, Position available at busy Riverside Motel. Paying above award rates. Please phone 9362 3511

Local Govt Vacancies

BUSINESS RISK PLANNING COORDINATOR

Contract 3 Years
Total Employment Budget \$81,000 - \$84,000

The Shire is pleased to offer the position of Business Risk Planning Coordinator within the Office of the Chief Executive Officer.

For full details of this position and to apply, visit www.shireofgingin.wa.gov.au. Applications close 4pm on Friday 22 July 2022.

Aaron Cook
CHIEF EXECUTIVE OFFICER

COMMUNITY EVENTS & SERVICES OFFICER

Permanent
Part-Time/Permanent
Full-time
(32/38 hours per week)
\$81,000 - \$84,000

An exciting opportunity is available within our Corporate & Community Services team for a Community Events & Services Officer.

For full details of this position and to apply, visit www.shireofgingin.wa.gov.au. Applications close 4pm on Friday 22 July 2022.

Aaron Cook
CHIEF EXECUTIVE OFFICER

JOIN OUR OPERATIONS TEAM

Full-time
Roads Technical Officer
The Shire of Gingin is pleased to offer the following employment opportunities in its Operations & Assets Department:

- 1. Fleet Officer/Mechanic - contract up to 5 years, package up to \$110,000
- 2. Roads Technical Officer - contract up to 5 years, package up to \$90,000

For full details and to apply, visit the Employment page gingin.wa.gov.au. Applications close 4pm on Friday 22 July 2022.

Aaron Cook
CHIEF EXECUTIVE OFFICER

SHIRE OF KULIN JOB VACANCIES

The Shire of Kulin has some exciting opportunities available:

Kulin Child Care Executive Support Officer
AGGREGATE Driver
Plant Operator

Please refer to the Shire of Kulin website for full details and application packages: www.kulin.wa.gov.au/Careers

The DCEO Fiona Murphy on 9880 1204 or email dceo@kulin.wa.gov.au

The West Australian

Employment

Local Govt. Tenders

Shire of Upper Gascoyne

Greenfield Technical Services acting on behalf of the Shire of Upper Gascoyne invites tenders for the following goods and services:

RFT 03 22-23

EXPLORATION DRILLING

BORE CASING

Tender forms are only available from Tenderlink:

<http://www.tenderlink.com/uppergascoyne/>

Tenders close 2.00 pm AEST, Tuesday 26 July 2022.

All tender submissions must be submitted via

Tenderlink, no other format of submission will be accepted.

Council is not bound to accept the lowest or any tender. Canvassing of any Shire Councillor or Officer will disqualify Tenders from consideration. Should Tenders have questions with respect to accessing Tender documents or submitting a Tender, please contact the Shire on 08 9943 0988.

Questions relating to the Tender document and/or specifications must be made via the forum on Tenderlink.

TAMALA PARK REGIONAL COUNCIL

Details of the RFO are available by registering on the Tenderlink e-tendering website:

portal.tenderlink.com/shireofharvey

Items requiring clarification must be submitted via the online forum on the Shire of Harvey e-tendering website. A response will be provided to all tenders to view.

The Shire of Harvey invites tenders for the following:

1. Strata Islanding and Torres Strait Islanding

2. Disability organisations to quote for work

This Request will close at 3pm (AEST) on Tuesday, 16 August 2022 and can be lodged only using the e-tendering website:

<https://portal.tenderlink.com/shireofharvey>

Late submissions, postal, emailed or facsimile submissions will not be accepted.

Canvassing of Councillors or Officers of the Shire will disqualify the submission.

Annie Blordan
Chief Executive Officer

EXPRESSION OF INTEREST

LEASE

The Town of Victoria Park invites expressions of interest to lease an office suite (25m²) at 42 Somerset Street, East Victoria Park.

Expressions of interest must be completed in writing in accordance with the following criteria contained within the property prospectus, these include:

- 1. Business case
- 2. Detailed lease or licence proposal including:

- a. proposed annual rent
- b. commercial benefits
- c. fit out concept plans
- d. relevant experience
- e. financial proposal

A copy of the property prospectus can be obtained by contacting the Town of Victoria Park Development and Planning team on 08 9411 8181 or admin@victoriapark.wa.gov.au.

The preferred submission is subject to council approval and section 3.5.8 of the Local Government Act 1995.

Expressions of Interest must be submitted in writing in accordance with the following criteria contained within the property prospectus, these include:

- 1. Business case
- 2. Detailed lease or licence proposal including:

- a. proposed annual rent
- b. commercial benefits
- c. fit out concept plans
- d. relevant experience
- e. financial proposal

A copy of the property prospectus can be obtained by contacting the Town of Victoria Park Development and Planning team on 08 9411 8181 or admin@victoriapark.wa.gov.au.

The preferred submission is subject to council approval and section 3.5.8 of the Local Government Act 1995.

Expressions of Interest must be submitted in writing in accordance with the following criteria contained within the property prospectus, these include:

- 1. Business case
- 2. Detailed lease or licence proposal including:

- a. proposed annual rent
- b. commercial benefits
- c. fit out concept plans
- d. relevant experience
- e. financial proposal

A copy of the property prospectus can be obtained by contacting the Town of Victoria Park Development and Planning team on 08 9411 8181 or admin@victoriapark.wa.gov.au.

The preferred submission is subject to council approval and section 3.5.8 of the Local Government Act 1995.

Expressions of Interest must be submitted in writing in accordance with the following criteria contained within the property prospectus, these include:

- 1. Business case
- 2. Detailed lease or licence proposal including:

- a. proposed annual rent
- b. commercial benefits
- c. fit out concept plans
- d. relevant experience
- e. financial proposal

A copy of the property prospectus can be obtained by contacting the Town of Victoria Park Development and Planning team on 08 9411 8181 or admin@victoriapark.wa.gov.au.

The preferred submission is subject to council approval and section 3.5.8 of the Local Government Act 1995.

Expressions of Interest must be submitted in writing in accordance with the following criteria contained within the property prospectus, these include:

- 1. Business case
- 2. Detailed lease or licence proposal including:

- a. proposed annual rent
- b. commercial benefits
- c. fit out concept plans
- d. relevant experience
- e. financial proposal

A copy of the property prospectus can be obtained by contacting the Town of Victoria Park Development and Planning team on 08 9411 8181 or admin@victoriapark.wa.gov.au.

The preferred submission is subject to council approval and section 3.5.8 of the Local Government Act 1995.

Expressions of Interest must be submitted in writing in accordance with the following criteria contained within the property prospectus, these include:

- 1. Business case
- 2. Detailed lease or licence proposal including:

- a. proposed annual rent
- b. commercial benefits
- c. fit out concept plans
- d. relevant experience
- e. financial proposal

A copy of the property prospectus can be obtained by contacting the Town of Victoria Park Development and Planning team on 08 9411 8181 or admin@victoriapark.wa.gov.au.

The preferred submission is subject to council approval and section 3.5.8 of the Local Government Act 1995.

Expressions of Interest must be submitted in writing in accordance with the following criteria contained within the property prospectus, these include:

- 1. Business case
- 2. Detailed lease or licence proposal including:

- a. proposed annual rent
- b. commercial benefits
- c. fit out concept plans
- d. relevant experience
- e. financial proposal

A copy of the property prospectus can be obtained by contacting the Town of Victoria Park Development and Planning team on 08 9411 8181 or admin@victoriapark.wa.gov.au.

The preferred submission is subject to council approval and section 3.5.8 of the Local Government Act 1995.

Expressions of Interest must be submitted in writing in accordance with the following criteria contained within the property prospectus, these include:

- 1. Business case
- 2. Detailed lease or licence proposal including:

- a. proposed annual rent
- b. commercial benefits
- c. fit out concept plans
- d. relevant experience
- e. financial proposal

A copy of the property prospectus can be obtained by contacting the Town of Victoria Park Development and Planning team on 08 9411 8181 or admin@victoriapark.wa.gov.au.

The preferred submission is subject to council approval and section 3.5.8 of the Local Government Act 1995.

Expressions of Interest must be submitted in writing in accordance with the following criteria contained within the property prospectus, these include:

- 1. Business case
- 2. Detailed lease or licence proposal including:

- a. proposed annual rent
- b. commercial benefits
- c. fit out concept plans
- d. relevant experience
- e. financial proposal

A copy of the property prospectus can be obtained by contacting the Town of Victoria Park Development and Planning team on 08 9411 8181 or admin@victoriapark.wa.gov.au.

The preferred submission is subject to council approval and section 3.5.8 of the Local Government Act 1995.

Expressions of Interest must be submitted in writing in accordance with the following criteria contained within the property prospectus, these include:

- 1. Business case
- 2. Detailed lease or licence proposal including:

- a. proposed annual rent
- b. commercial benefits
- c. fit out concept plans
- d. relevant experience
- e. financial proposal

City of Stirling

City of Stirling

INVITATION FOR TENDERS 46101

Birralee Reserve Lower Toilet and Changeroom Renewal

Tender Deadline 13:00 (AEST) Wednesday 14 July 2022

Mandatory Briefing 9:00am (AEST) Thursday 14 July 2022

Location details available via e-tendering system

Tender Documents are available for download via <http://260providers.ppssoftware.com.au>

Prior registration is required

Contact: All contact must be via the City's e-tendering system

Lodgement of Documents: Tenders can only be lodged electronically via the City's e-tendering system

Facsimile, Email and hard copies will not be accepted

Late tenders will not be accepted

Canvassing of Councillors or employees will disqualify

Shirley Jardine PSM
Chief Executive Officer

Request for Quotation (RFQ) Q-112022

Yarloop Workshops Interpretation Centre

Curatorial and Interpretation Consultant

Details of the RFO are available by registering on the Tenderlink e-tendering website:

portal.tenderlink.com/shireofharvey

Items requiring clarification must be submitted via the online forum on the Shire of Harvey e-tendering website. A response will be provided to all tenders to view.

The Shire of Harvey invites tenders for the following:

- 1. Strata Islanding and Torres Strait Islanding
- 2. Disability organisations to quote for work

This Request will close at 3pm (AEST) on Tuesday, 16 August 2022 and can be lodged only using the e-tendering website:

<https://portal.tenderlink.com/shireofharvey>

Late submissions, postal, emailed or facsimile submissions will not be accepted.

Canvassing of Councillors or Officers of the Shire will disqualify the submission.

Annie Blordan
Chief Executive Officer

City of Joondalup

REQUEST FOR TENDER 02/22/23

PROBATION PUBLIC BARBECUE CLEANING

Contact Person: Martin Cunniff

Phone (08) 9400 4059

Tender closes: 2:00pm Tuesday 26 July 2022 WST

REQUEST FOR TENDER 02/22/23

SUPPLY AND LAYING OF CONCRETE KERBING

Contact Person: Martin Cunniff

Phone (08) 9400 4059

Tender closes: 2:00pm Tuesday 26 July 2022 WST

REQUEST FOR TENDER 02/22/23

PROVISION OF REPAIRS, MAINTENANCE AND PREVENTATIVE

REPLACEMENT OF EXISTING EQUIPMENT AND NEW MECHANICAL INSTALLATION TO THE VALUE OF \$10,000

Contact Person: Denise Heesters

Phone (08) 9400 4277

Tender closes: 2:00pm Tuesday 27 July 2022 WST

The tender documents can be obtained by registering with <https://portal.tenderlink.com/joondalup>

Facsimile, paper copy, postal or emailed submissions will not be accepted.

Canvassing of Elected Members or staff will disqualify respondents from further consideration.

James Pearson
Chief Executive Officer

SHIRE OF KULIN

PLANT TENDERS

Tenders are invited for the following item of plant: